



## DESCRIPTION

Bright cold galvanizing for metal surfaces based on micronized 99.995% pure zinc powder.

# TECHNICAL SHEET

### PROPERTIES

- Pure zinc powder dispersed in a given resin.
- It is designed specifically for touch-up and repair of galvanized areas.
- Identical brilliant color obtained by galvanizing.
- Special anti-corrosion technology with mirror finish.
- Water, salt, grease and oil resistant.
- High protection against oxidation
- Abrasion resistant.
- Excellent adhesion.
- Corrosion protection for welded joints.
- Quick drying.
- Does not run when used correctly.
- After drying, surface can be sprayed and brush painted.

### **APPLICATION AREAS**

- Mechanical workshops
- Carpenter
- Construction
- Hardware

#### APPLICATION

- Make sure the treatment area is clean and rust free.
- Shake the can until you can hear the ball clicking against the walls of the can.
- Shake vigorously for about 90 seconds.
- Spray gun perpendicular to the surface being coated and keep a distance of about 30 cm (11.8 in).
- Once dry, apply a second coat if necessary.
- After usage turn can upside down and spray until nozzle is empty.

## **TECHNICAL SPECIFICATIONS**

Appearance	Bright light gray liquid
Flash point (ASTM D56)	Less than 0 °C
Smell	Typically
Relative density	1.0 gr/ml
Solubility in water	Insoluble
Lipid solubility	Soluble
Heavy metals	Not contain

## PACKAGING

Code	105
Format	Aerosol 400 ml
Box	12 pieces
Pallet	60 boxes

HEADQUARTERS Resolv SA 6900 Lugano-Switzerland info@resolv.swiss

ZINC\_TS\_EN\_3.0