

NEOX

Metal Polish

DESCRIPTION

Foaming metal polish enriched with ultrafine quartz particles, formulated to remove oxidation, tarnish, scratches, surface imperfections, dullness, and lime residues from metals and alloys. Contains no corrosive agents, does not damage plastics, and does not cause paint stripping or discoloration.

PROPERTIES

- Foaming detergent enriched with ultrafine quartz particles.
- Specifically designed for removing oxidations, discolorations, scratches, surface imperfections, dullness, limescale, etc., from metals and alloys such as steel, stainless steel, aluminum, copper, brass, and chrome.
- The special formula also makes it suitable for cleaning and polishing silver, copper, brass, etc., objects, leaving an anti-patina film that protects the surfaces from oxidation for a long time.
- Used in the window and door industry to remove scratches and abrasions from aluminum surfaces after assembly.
- Does not contain corrosive compounds, does not attack plastics, does not strip paint or discolor, and is safe for users.

APPLICATION AREAS

- Metalworking
- Automotive
- Window and door manufacturing
- Assembly and installation

APPLICATION

- Shake the can well for a few seconds.
- Spray a small amount of NEOF directly onto the surface to be treated.
- Rub with a dry microfiber cloth in circular motions until the surface is clean.
- Remove residues of dirt and oxidation.
- Polish with a dry cloth.

TECNICAL SPECIFICATIONS

Appearance	Creamy fluid
Color	Ivory
Odor	Slightly Ammoniated
Flash point	Non-flammable
Pressure at 20°C	6 bar
Density 15°C	1.02 +/- 0.03 kg/lt

PACKAGING

Code	926
Format	Aerosol 520 ml (netto 400 ml)
Box	12 pieces
Pallet	60 boxes